CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GEOTECHNIQUE

VOLUME 17, 1980

Author Index / Index des auteurs

Under each name are listed, in chronological order of publication, all articles in which an author has participated/ Chaque notice indique, dans l'ordre chronologique de publication, tous les articles auxquels l'auteur a participé

Altschaeffl, A.G., see Reed, M.A., 639.
Athanasiou-Grivas, D., Probabilistic seismic stability analysis—a case study, 352.
Banner, J.A., see van Everdingen, R.O., 326.
Baracos, A., Graham, J., and Domaschuk, L., Yielding and rupture in a lacustrine clay, 559.
Barsvary, A.K., Klym, T.W., and Franklin, J.A., List of terms, symbols, and recommended SI units and multiples for geotechnical engineering, 89.
Bauer, G.E., Scott, J.D., Shields, D.H., and Wilson, N.E., The hydraulic failure of a cofferdam, 574.
Bauer, G.E., see Selvadurai, A.S., 465.
Bazett, D.J., Addendum: Clay fills: Book Review, 335.
Belshaw, D.J., see Palmer, J.H.L., 174.
Bentley, S.P., Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion, 632.
Blanchet, R., Tavenas, F., and Garneau, R., Behaviour of friction piles in soft sensitive clays, 203.
Bozozuk, M., see Law, K.T., 330.
Brown, R.J.E., Proceedings of the Third International Conference on Permafrost: Book Review, 643.
Campbell, I.A., see Martz, L.W., 361.
Chapuis, R.P., La compression triaxiale des sols armés, 153.
Chugh, A.K., Parametric study on the plasticity parameters in elastic–plastic analysis of underground openings, 136.
Crooks, J.H.A., Matyas, E.L., and McKay, H.M., Excavation slope stability related to pore-water pressure variations during piling, 225.
Cruden, D.M., The anatomy of landslides, 295.
Deardorff, G.B., Lumsden, A.M., and Hefferon, W.M., Pneumatic piezometers: multiple and single installations in vertical and inclined boreholes, 313.
Debidin, F., and Lee, C.F., Groundwater and drawdown in a large earth excavation, 185.
Denis, R., see Masounave, J., 517.
Domaschuk, L., see Baracos, A., 559.
Eden, W.J., and Law, K.T., Comparison of undrained shear strength results obtained by different test methods in soft clays, 369.
Eden, W.J., see Law, K.T., 165.
Eisbacher, G.H., Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Reply, 151.
El-Nahhas, F., see Thomson, S., 20.
Foott, R., see Ladd, C.C., 454.
Franklin, J.A., see Barsvary, A.K., 89.
Frederking, R., Ice mechanics: Book Review, 463.
Frederking, R.M.W., Rupture of an ice mound near Cape Dorset, N.W.T.: Reply, 327.
Fredlund, D.G., Remarks on the validity of slope stability analyses: Discussion, 641.
Fredlund, D.G., see Hasan, J.U., 395.
French, H.M., see Pollard, W.H., 509.
Garneau, R., see Blanchet, R., 203.
Graham, J., see Baracos, A., 559.
Guenter, D.M., see Tao, S.S., 436.
Hackbarth, D.A., Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta, 131.
Hackbarth, D.A., Erratum: Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta, 645.
Hanna, A.M., and Meyerhof, G.G., Design charts for ultimate bearing capacity of foundations on sand overlying soft clay, 300.
Hasan, J.U., and Fredlund, D.G., Pore pressure parameters for unsaturated soils, 395.

Hefferon, W.M., see Deardorff, G.B., 313.
Hwang, C.T., Seshadri, R., and Krishnayya, A.V.G., Thermal design for insulated pipes, 613.
Kempthorne, R.H., see Selvadurai, A.P.S., 114.
Kennedy, J.B., Laba, J.T., and Mossaad, M.A., Reinforced earth retaining walls under strip load, 382.
Kenney, T.C., Frost-heaving rate predicted from pore-size distribution: Discussion, 332.
Klym, T.W., see Barsvary, A.K., 89.
Knight, D.G., Impact penetration of sand, 127.
Kodandaramaswamy, K., and Rao, S.N., The prediction of settlements and heave in clays, 623.
Konrad, J.-M., and Morgenstern, N.R., A mechanistic theory of ice lens formation in fine-grained soils, 473.
Krishnaswamy, N.R., see Sankaran, K.S., 292.
Krishnayya, A.V.G., see Hwang, C.T., 613.
Kry, P.R., Third Canadian Geotechnical Colloquium: Ice forces on wide structures, 97.
Laba, J.T., see Kennedy, J.B., 382.
Ladd, C.C., and Foott, R., The behaviour of embankments on clay foundations: Discussion, 454.
Lafleur, J., and Lefebvre, G., Groundwater regime associated with slope stability in Champlain clay deposits, 44.
Landva, A.O., Vane testing in peat, 1.
Landva, A.O., and Pheeney, P.E., Peat fabric and structure, 416.
La Rochelle, P., see Trak, B., 526.
La Rochelle, P., see Yong, R.N., 536.
Larsson, R., Undrained shear strength in stability calculation of embankments and foundations on soft clays, 591.
Law, K.T., and Bozozuk, M., A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply, 330.
Law, K.T., and Eden, W.J., Influence of cutting shoe size in self-boring pressuremeter tests in sensitive clays, 165.
Law, K.T., see Eden, W.J., 369.
LeBihan, J.P., see Leroueil, S., 446.
Lee, C.F., see Debidin, F., 185.
Lefebvre, G., see Lafleur, J., 44.
Lefebvre, G., and Locat, J., Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion, 635.
Legget, R.F., Engineering geology of southern Africa, Volume I (the first 2,000 years of geological time): Book Review, 333.
Leonards, G.A., Strain rate behaviour of Saint-Jean-Vianney clay: Discussion, 461.
Leroueil, S., LeBihan, J.P., and Tavenas, F., An approach for the determination of the preconsolidation pressure in sensitive clays, 446.
Leroueil, S., and Tavenas, F., A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion, 329.
Leroueil, S., see Tavenas, F., 61.
Leroueil, S., see Tavenas, F., 236.
Leroueil, S., see Trak, B., 526.
Locat, J., see Lefebvre, G., 635.
Lovell, C.W., see Reed, M.A., 639.
Lu, Y., see Rivard, P.J., 148.
Lumsden, A.M., see Deardorff, G.B., 313.
Mageau, D.W., and Morgenstern, N.R., Observations on moisture migration in frozen soils, 54.
Marchetti, S., Improving the quality of input data for the wave equation analysis of driven piles, 286.
Martz, L.W., and Campbell, I.A., Effects of a pipeline right-of-way on sediment yields in the Spring Creek watershed, Alberta, 361.
Masannat, Y.M., Geotechnical considerations in the treatment of the foundations of the left abutment of King Talal Dam, 34.
Masounave, J., Denis, R., and Rollin, A.L., Prediction of hydraulic properties of synthetic nonwoven fabrics used in geotechnical work, 517.
Matyas, E.L., see Crooks, J.H.A., 225.
McKay, H.M., see Crooks, J.H.A., 225.
Meyerhof, G.G., Behaviour of friction piles in soft sensitive clays: Discussion, 640.
Meyerhof, G.G., see Hanna, A.M., 300.
Morgenstern, N.R., see Konrad, J.-M., 473.
Morgenstern, N.R., see Mageau, D.W., 54.
Morgenstern, N.R., see Pufahl, D.E., 487.
Morgenstern, N.R., Roggensack, W.D., and Weaver, J.S., The behaviour of friction piles in ice and ice-rich soils, 405.
Morgenstern, N.R., see Weaver, J.S., 320.
Mossaad, M.A., see Kennedy, J.B., 382.
Murthy, M.K., Nagaraj, T.S., and Sridharan, A., Stress path effects on the strength behaviour of a layered soil, 603.
Nagaraj, T.S., see Murthy, M.K., 603.
Nair, P.G.B., see Sankaran, K.S., 292.
Nicholas, T.J., see Selvadurai, A.S., 465.
Palmer, J.H.L., and Belshaw, D.J., Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay, 174.

Parameswaran, V.R., Deformation behaviour and strength of frozen sand, 74.
Parkhill, S.T., Shear strength of soft fissured clays: Discussion, 147.
Peck, R.B., "Where has all the judgment gone?" The fifth Laurits Bjerrum memorial lecture, 584.
Pheeney, P.E., see Landva, A.O., 416.
Pollard, W.H., and French, H.M., A first approximation of the volume of ground ice, Richards Island, Pleistocene Mackenzie delta, Northwest Territories, Canada, 509.
Pufahl, D.E., and Morgenstern, N.R., The energetics of an ablating headscarp in permafrost, 487.
Quigley, R.M., Geology, mineralogy, and geochemistry of Canadian soft soils: a geotechnical perspective, 261.
Rao, S.N., see Kodandaramaswamy, K., 623.
Reed, M.A., Lovell, C.W., Altschaeffl, A.G., and Wood, L.E., Frost-heaving rate predicted from pore-size distribution: Reply, 639.
Rivard, P.J., and Lu, Y., Shear strength of soft fissured clays: Reply, 148.
Rogers, G.C., A documentation of soil failure during the British Columbia earthquake of 23 June, 1946, 122.
Roggensack, W.D., see Morgenstern, N.R., 405.
Rollin, A.L., see Masounave, J., 517.
Roy, M., see Trak, B., 526.
Sankaran, K.S., Krishnaswamy, N.R., and Nair, P.G.B., Effect of test pit size on vibrations of footings, 292.
Sauer, E.K., Geotechnical applications of electrical borehole logging in southern Saskatchewan, 545.
Scott, J.D., see Bauer, G.E., 574.
Selvadurai, A.P.S., and Kempthorne, R.H., Plane strain – contact stress distribution beneath a rigid footing resting on a soft cohesive soil, 114.
Selvadurai, A.S., Bauer, G.E., and Nicholas, T.J., Screw plate testing of a soft clay, 465.
Seshadri, R., see Hwang, C.T., 613.
Sethi, A.J., see Yong, R.N., 440.
Sethi, A.J., see Yong, R.N., 636.
Shields, D.H., see Bauer, G.E., 574.
Silvestri, V., The long-term stability of a cutting slope in an overconsolidated sensitive clay, 337.
Snodgrass, L.J., see Tao, S.S., 436.
Sridharan, A., see Murthy, M.K., 603.
Suzuki, A., see Yong, R.N., 440.
Swinbanks, D.D., see Syvitski, J.P.M., 304.
Syvitski, J.P.M., and Swinbanks, D.D., VSA: a new fast size analysis technique for low sample weight based on Stokes' settling velocity, 304.
Tao, S.S., Guenter, D.M., and Snodgrass, L.J., Design, construction, and performance of a pneumatic seal for closed system piezometers, 436.
Taplin, D., see Yong, R.N., 498.
Tavenas, F., see Blanchet, R., 203.
Tavenas, F., and Leroueil, S., The behaviour of embankments on clay foundations, 236.
Tavenas, F., see Leroueil, S., 446.
Tavenas, F., see Leroueil, S., 329.
Tavenas, F., Trak, B., and Leroueil, S., Remarks on the validity of stability analyses, 61.
Tavenas, F., see Trak, B., 526.
Thomson, S., and El-Nahhas, F., Field measurements in two tunnels in Edmonton, Alberta, 20.
Trak, B., La Rochelle, P., Tavenas, F., Leroueil, S., and Roy, M., A new approach to the stability analysis of embankments on sensitive clays, 526.
Trak, B., see Tavenas, F., 61.
Vallejo, L.E., Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Discussion, 149.
Vallejo, L.E., A new approach to the stability analysis of thawing slopes, 607.
van Everdingen, R.O., and Banner, J.A., Rupture of an ice mound near Cape Dorset, N.W.T.: Discussion, 326.
Weaver, J.S., and Morgenstern, N.R., Considerations on the use of cast-in-place piles in permafrost, 320.
Weaver, J.S., see Morgenstern, N.R., 405.
Wilson, N.E., see Bauer, G.E., 574.
Wiseman, G., see Yong, R.N., 498.
Wood, L.E., see Reed, M.A., 639.
Yong, R.N., Sethi, A.J., and Suzuki, A., Contribution of amorphous material to properties of a laboratory-prepared soil, 440.
Yong, R.N., Sethi, A.J., and La Rochelle, P., Significance of amorphous material relative to sensitivity in some Champlain clays: Reply, 636.
Yong, R.N., Taplin, D., and Wiseman, G., Influence of cyclic load input on the mechanical properties of a sensitive soil from Orleans, Ontario, 498.

CANADIAN GEOTECHNICAL JOURNAL

REVUE CANADIENNE DE GEOTECHNIQUE

VOLUME 17, 1980

Subject Index / Index des matières[1]

A. General

01. *Foundation, Soil and Rock Engineering - Scope*

"Where has all the judgment gone?" The fifth Laurits Bjerrum memorial lecture. Peck, R.B., 584.

04. *Textbooks, Handbooks, and Geotechnical Periodicals*

Engineering geology of southern Africa, Volume I (the first 2,000 years of geological time): Book Review. Legget, R.F., 333.

Addendum: Clay fills: Book Review. Bazett, D.J., 335.

Ice mechanics: Book Review. Frederking, R., 463.

Proceedings of the Third International Conference on Permafrost: Book Review. Brown, R.J.E., 643.

05. *Nomenclature*

List of terms, symbols, and recommended SI units and multiples for geotechnical engineering. Barsvary, A.K., Klym, T.W., and Franklin, J.A., 89.

Frost-heaving rate predicted from pore-size distribution: Discussion. Kenney, T.C., 332.

Frost-heaving rate predicted from pore-size distribution: Reply. Reed, M.A., Lovell, C.W., Altschaeffl, A.G., and Wood, L.E., 639.

B. Engineering Geology

00. *General*

Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Discussion. Vallejo, L.E., 149.

Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Reply. Eisbacher, G.H., 151.

"Where has all the judgment gone?" The fifth Laurits Bjerrum memorial lecture. Peck, R.B., 584.

01. *Soil Formation*

Vane testing in peat. Landva, A.O., 1.

Shear strength of soft fissured clays: Discussion. Parkhill, S.T., 147.

Shear strength of soft fissured clays: Reply. Rivard, P.J., and Lu, Y., 148.

Influence of cutting shoe size in self-boring pressuremeter tests in sensitive clays. Law, K.T., and Eden, W.J., 165.

Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay. Palmer, J.H.L., and Belshaw, D.J., 174.

Groundwater and drawdown in a large earth excavation. Debidin, F., and Lee, C.F., 185.

Behaviour of friction piles in soft sensitive clays. Blanchet, R., Tavenas, F., and Garneau, R., 203.

Excavation slope stability related to pore-water pressure variations during piling. Crooks, J.H.A., Matyas, E.L., and McKay, H.M., 225.

Geology, mineralogy, and geochemistry of Canadian soft soils: a geotechnical perspective. Quigley, R.M., 261.

A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion. Leroueil, S., and Tavenas, F., 329.

A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply. Law, K.T., and Bozozuk, M., 330.

The long-term stability of a cutting slope in an overconsolidated sensitive clay. Silvestri, V., 337.

Effects of a pipeline right-of-way on sediment yields in the Spring Creek watershed, Alberta. Martz, L.W., and Campbell, I.A., 361.

Comparison of undrained shear strength results obtained by different test methods in soft clays. Eden, W.J., and Law, K.T., 369.

[1]Based on the International Geotechnical Classification System (IGC) approved in 1969 by the International Society for Soil Mechanics and Foundation Engineering. Permission to use this classification system is gratefully acknowledged.

Peat fabric and structure. Landva, A.O., and Pheeney, P.E., 416.
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. Leonards, G.A., 461.
Influence of cyclic load input on the mechanical properties of a sensitive soil from Orleans, Ontario. Yong, R.N., Taplin, D., and Wiseman, G., 498.
Yielding and rupture in a lacustrine clay. Baracos, A., Graham, J., and Domaschuk, L., 559.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Bentley, S.P., 632.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Lefebvre, G., and Locat, J., 635.
Significance of amorphous material relative to sensitivity in some Champlain clays: Reply. Yong, R.N., Sethi, A.J., and La Rochelle, P., 636.
Behaviour of friction piles in soft sensitive clays: Discussion. Meyerhof, G.G., 640.

02. *Ground Water*
Groundwater regime associated with slope stability in Champlain clay deposits. Lafleur, J., and Lefebvre, G., 44.
Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta. Hackbarth, D.A., 131.
Erratum: Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta. Hackbarth, D.A., 645.

03. *Mass Movements and Subsidence*
Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Discussion. Vallejo, L.E., 149.
Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Reply. Eisbacher, G.H., 151.
The anatomy of landslides. Cruden, D.M., 295.
The energetics of an ablating headscarp in permafrost. Pufahl, D.E., and Morgenstern, N.R., 487.
A new approach to the stability analysis of thawing slopes. Vallejo, L.E., 607.

04. *Natural Catastrophes (incl. earthquakes and floods)*
A documentation of soil failure during the British Columbia earthquake of 23 June, 1946. Rogers, G.C., 122.

05. *Permafrost and Frozen Ground*
Observations on moisture migration in frozen soils. Mageau, D.W., and Morgenstern, N.R., 54.
Deformation behaviour and strength of frozen sand. Parameswaran, V.R., 74.
Considerations on the use of cast-in-place piles in permafrost. Weaver, J.S., and Morgenstern, N.R., 320.
Rupture of an ice mound near Cape Dorset, N.W.T.: Discussion. van Everdingen, R.O., and Banner, J.A., 326.
Rupture of an ice mound near Cape Dorset, N.W.T.: Reply. Frederking, R.M.W., 327.
A mechanistic theory of ice lens formation in fine-grained soils. Konrad, J.-M., and Morgenstern, N.R., 473.
The energetics of an ablating headscarp in permafrost. Pufahl, D.E., and Morgenstern, N.R., 487.
A first approximation of the volume of ground ice, Richards Island, Pleistocene Mackenzie delta, Northwest Territories, Canada. Pollard, W.H., and French, H.M., 509.
A new approach to the stability analysis of thawing slopes. Vallejo, L.E., 607.
Thermal design for insulated pipes. Hwang, C.T., Seshadri, R., and Krishnayya, A.V.G., 613.
Proceedings of the Third International Conference on Permafrost: Book Review. Brown, R.J.E., 643.

09. *Geomorphology*
Effects of a pipeline right-of-way on sediment yields in the Spring Creek watershed, Alberta. Martz, L.W., and Campbell, I.A., 361.

10. *Mineralogy and Petrography*
Geology, mineralogy, and geochemistry of Canadian soft soils: a geotechnical perspective. Quigley, R.M., 261.
Contribution of amorphous material to properties of a laboratory-prepared soil. Yong, R.N., Sethi, A.J., and Suzuki, A., 440.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Bentley, S.P., 632.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Lefebvre, G., and Locat, J., 635.
Significance of amorphous material relative to sensitivity in some Champlain clays: Reply. Yong, R.N., Sethi, A.J., and La Rochelle, P., 636.

C. Site Investigations

02. *Geophysical Surveys*
Geotechnical applications of electrical borehole logging in southern Saskatchewan. Sauer, E.K., 545.

07. *Measurement of Field Conditions (incl. ground water and in situ stress)*
Geotechnical considerations in the treatment of the foundations of the left abutment of King Talal Dam. Masannat, Y.M., 34.

Influence of cutting shoe size in self-boring pressuremeter tests in sensitive clays. Law, K.T., and Eden, W.J., 165.
Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay. Palmer, J.H.L., and Belshaw, D.J., 174.
Behaviour of friction piles in soft sensitive clays. Blanchet, R., Tavenas, F., and Garneau, R., 203.
Excavation slope stability related to pore-water pressure variations during piling. Crooks, J.H.A., Matyas, E.L., and McKay, H.M., 225.
Pneumatic piezometers: multiple and single installations in vertical and inclined boreholes. Deardorff, G.B., Lumsden, A.M., and Hefferon, W.M., 313.
Design, construction, and performance of a pneumatic seal for closed system piezometers. Tao, S.S., Guenter, D.M., and Snodgrass, L.J., 436.
The hydraulic failure of a cofferdam. Bauer, G.E., Scott, J.D., Shields, D.H., and Wilson, N.E., 574.
Behaviour of friction piles in soft sensitive clays: Discussion. Meyerhof, G.G., 640.

08. *Field Testing (excl. tests for engineering properties, see Groups D and F)*
Field measurements in two tunnels in Edmonton, Alberta. Thomson, S., and El-Nahhas, F., 20.
Groundwater and drawdown in a large earth excavation. Debidin, F., and Lee, C.F., 185.
Effect of test pit size on vibrations of footings. Sankaran, K.S., Krishnaswamy, N.R., and Nair, P.G.B., 292.
Screw plate testing of a soft clay. Selvadurai, A.S., Bauer, G.E., and Nicholas, T.J., 465.

D. Soil Properties: Laboratory and Field Determinations

01. *Classification and Identification*
VSA: a new fast size analysis technique for low sample weight based on Stokes' settling velocity. Syvitski, J.P.M., and Swinbanks, D.D., 304.
Peat fabric and structure. Landva, A.O., and Pheeney, P.E., 416.
Geotechnical applications of electrical borehole logging in southern Saskatchewan. Sauer, E.K., 545.

02. *Physico-chemical Properties (incl. corrosion and thixotropy)*
Contribution of amorphous material to properties of a laboratory-prepared soil. Yong, R.N., Sethi, A.J., and Suzuki, A., 440.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Bentley, S.P., 632.
Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion. Lefebvre, G., and Locat, J., 635.
Significance of amorphous material relative to sensitivity in some Champlain clays: Reply. Yong, R.N., Sethi, A.J., and La Rochelle, P., 636.

04. *Permeability and Capillarity*
Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta. Hackbarth, D.A., 131.
Groundwater and drawdown in a large earth excavation. Debidin, F., and Lee, C.F., 185.
Prediction of hydraulic properties of synthetic nonwoven fabrics used in geotechnical work. Masounave, J., Denis, R., and Rollin, A.L., 517.
Erratum: Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta. Hackbarth, D.A., 645.

05. *Compressibility (incl. consolidation and swelling)*
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. Leonards, G.A., 461.
The prediction of settlements and heave in clays. Kodandaramaswamy, K., and Rao, S.N., 623.

06. *Shear-deformation and Strength Properties (incl. pore-water pressure)*
Vane testing in peat. Landva, A.O., 1.
Deformation behaviour and strength of frozen sand. Parameswaran, V.R., 74.
Impact penetration of sand. Knight, D.G., 127.
Shear strength of soft fissured clays: Discussion. Parkhill, S.T., 147.
Shear strength of soft fissured clays: Reply. Rivard, P.J., and Lu, Y., 148.
La compression triaxiale des sols armés. Chapuis, R.P., 153.
Influence of cutting shoe size in self-boring pressuremeter tests in sensitive clays. Law, K.T., and Eden, W.J., 165.
Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay. Palmer, J.H.L., and Belshaw, D.J., 174.
The behaviour of embankments on clay foundations. Tavenas, F., and Leroueil, S., 236.
A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion. Leroueil, S., and Tavenas, F., 329.

A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply. Law, K.T., and Bozozuk, M., 330.
The long-term stability of a cutting slope in an overconsolidated sensitive clay. Silvestri, V., 337.
Comparison of undrained shear strength results obtained by different test methods in soft clays. Eden, W.J., and Law, K.T., 369.
Pore pressure parameters for unsaturated soils. Hasan, J.U., and Fredlund, D.G., 395.
An approach for the determination of the preconsolidation pressure in sensitive clays. Leroueil, S., LeBihan, J.P., and Tavenas, F., 446.
The behaviour of embankments on clay foundations: Discussion. Ladd, C.C., and Foott, R., 454.
Strain rate behaviour of Saint-Jean-Vianney clay: Discussion. Leonards, G.A., 461.
Screw plate testing of a soft clay. Selvadurai, A.S., Bauer, G.E., and Nicholas, T.J., 465.
Influence of cyclic load input on the mechanical properties of a sensitive soil from Orleans, Ontario. Yong, R.N., Taplin, D., and Wiseman, G., 498.
A new approach to the stability analysis of embankments on sensitive clays. Trak, B., La Rochelle, P., Tavenas, F., Leroueil, S., and Roy, M., 526.
Yielding and rupture in a lacustrine clay. Baracos, A., Graham, J., and Domaschuk, L., 559.
Undrained shear strength in stability calculation of embankments and foundations on soft clays. Larsson, R., 591.
Stress path effects on the strength behaviour of a layered soil. Murthy, M.K., Nagaraj, T.S., and Sridharan, A., 603.

07. *Dynamic Properties*
Impact penetration of sand. Knight, D.G., 127.
Effect of test pit size on vibrations of footings. Sankaran, K.S., Krishnaswamy, N.R., and Nair, P.G.B., 292.
Influence of cyclic load input on the mechanical properties of a sensitive soil from Orleans, Ontario. Yong, R.N., Taplin, D., and Wiseman, G., 498.

08. *Thermal Properties (incl. freezing)*
Observations on moisture migration in frozen soils. Mageau, D.W., and Morgenstern, N.R., 54.
Deformation behaviour and strength of frozen sand. Parameswaran, V.R., 74.
Frost-heaving rate predicted from pore-size distribution: Discussion. Kenney, T.C., 332.
A mechanistic theory of ice lens formation in fine-grained soils. Konrad, J.-M., and Morgenstern, N.R., 473.
The energetics of an ablating headscarp in permafrost. Pufahl, D.E., and Morgenstern, N.R., 487.
Thermal design for insulated pipes. Hwang, C.T., Seshadri, R., and Krishnayya, A.V.G., 613.
Frost-heaving rate predicted from pore-size distribution: Reply. Reed, M.A., Lovell, C.W., Altschaeffl, A.G., and Wood, L.E., 639.

E. Analysis of Soil-engineering Problems

01. *In Situ Stresses caused by Gravity and Applied Loads and Excavations*
Plane strain – contact stress distribution beneath a rigid footing resting on a soft cohesive soil. Selvadurai, A.P.S., and Kempthorne, R.H., 114.

02. *Deformation and Settlement Problems (incl. piles)*
A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion. Leroueil, S., and Tavenas, F., 329.
A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply. Law, K.T., and Bozozuk, M., 330.
An approach for the determination of the preconsolidation pressure in sensitive clays. Leroueil, S., LeBihan, J.P., and Tavenas, F., 446.
The prediction of settlements and heave in clays. Kodandaramaswamy, K., and Rao, S.N., 623.

03. *Bearing Capacity of Soils*
Design charts for ultimate bearing capacity of foundations on sand overlying soft clay. Hanna, A.M., and Meyerhof, G.G., 300.
Screw plate testing of a soft clay. Selvadurai, A.S., Bauer, G.E., and Nicholas, T.J., 465.

04. *Bearing Capacity of Piles*
Behaviour of friction piles in soft sensitive clays. Blanchet, R., Tavenas, F., and Garneau, R., 203.
The behaviour of friction piles in ice and ice-rich soils. Morgenstern, N.R., Roggensack, W.D., and Weaver, J.S., 405.
Behaviour of friction piles in soft sensitive clays: Discussion. Meyerhof, G.G., 640.

05. *Earth Pressure Problems (incl. silos)*
Field measurements in two tunnels in Edmonton, Alberta. Thomson, S., and El-Nahhas, F., 20.
Parametric study on the plasticity parameters in elastic–plastic analysis of underground openings. Chugh, A.K., 136.
La compression triaxiale des sols armés. Chapuis, R.P., 153.

Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay. Palmer, J.H.L., and Belshaw, D.J., 174.
Reinforced earth retaining walls under strip load. Kennedy, J.B., Laba, J.T., and Mossaad, M.A., 382.

06. *Stability of Slopes, Cuts, and Excavations*
Groundwater regime associated with slope stability in Champlain clay deposits. Lafleur, J., and Lefebvre, G., 44.
Remarks on the validity of stability analyses. Tavenas, F., Trak, B., and Leroueil, S., 61.
Shear strength of soft fissured clays: Discussion. Parkhill, S.T., 147.
Shear strength of soft fissured clays: Reply. Rivard, P.J., and Lu, Y., 148.
Excavation slope stability related to pore-water pressure variations during piling. Crooks, J.H.A., Matyas, E.L., and McKay, H.M., 225.
The behaviour of embankments on clay foundations. Tavenas, F., and Leroueil, S., 236.
The anatomy of landslides. Cruden, D.M., 295.
A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion. Leroueil, S., and Tavenas, F., 329.
A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply. Law, K.T., and Bozozuk, M., 330.
The long-term stability of a cutting slope in an overconsolidated sensitive clay. Silvestri, V., 337.
Probabilistic seismic stability analysis—a case study. Athanasiou-Grivas, D., 352.
The behaviour of embankments on clay foundations: Discussion. Ladd, C.C., and Foott, R., 454.
The energetics of an ablating headscarp in permafrost. Pufahl, D.E., and Morgenstern, N.R., 487.
A new approach to the stability analysis of embankments on sensitive clays. Trak, B., La Rochelle, P., Tavenas, F., Leroueil, S., and Roy, M., 526.
Undrained shear strength in stability calculation of embankments and foundations on soft clays. Larsson, R., 591.
A new approach to the stability analysis of thawing slopes. Vallejo, L.E., 607.
Remarks on the validity of slope stability analyses: Discussion. Fredlund, D.G., 641.

07. *Seepage and Other Hydraulic Problems (incl. erosion)*
Geotechnical considerations in the treatment of the foundations of the left abutment of King Talal Dam. Masannat, Y.M., 34.
Groundwater regime associated with slope stability in Champlain clay deposits. Lafleur, J., and Lefebvre, G., 44.
Groundwater and drawdown in a large earth excavation. Debidin, F., and Lee, C.F., 185.

08. *Dynamic Problems*
Probabilistic seismic stability analysis—a case study. Athanasiou-Grivas, D., 352.

09. *Frost Action and Heat-transfer Problems*
A mechanistic theory of ice lens formation in fine-grained soils. Konrad, J.-M., and Morgenstern, N.R., 473.
Thermal design for insulated pipes. Hwang, C.T., Seshadri, R., and Krishnayya, A.V.G., 613.

G. Analysis of Rock-engineering Problems

04. *Stability of Slopes, Excavations, and Openings*
Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Discussion. Vallejo, L.E., 149.
Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Reply. Eisbacher, G.H., 151.

H. Design, Construction, and Behaviour of Engineering Works

01. *Foundations of Structures (buildings, bridges, tanks, etc.)*
Improving the quality of input data for the wave equation analysis of driven piles. Marchetti, S., 286.
Considerations on the use of cast-in-place piles in permafrost. Weaver, J.S., and Morgenstern, N.R., 320.
The behaviour of friction piles in ice and ice-rich soils. Morgenstern, N.R., Roggensack, W.D., and Weaver, J.S., 405.

02. *Retaining Structures and Cutoff Walls*
Reinforced earth retaining walls under strip load. Kennedy, J.B., Laba, J.T., and Mossaad, M.A., 382.
The hydraulic failure of a cofferdam. Bauer, G.E., Scott, J.D., Shields, D.H., and Wilson, N.E., 574.

03. *Unsupported Excavations*
The long-term stability of a cutting slope in an overconsolidated sensitive clay. Silvestri, V., 337.
Excavation slope stability related to pore-water pressure variations during piling. Crooks, J.H.A., Matyas, E.L., and McKay, H.M., 225.

04. *Earthworks, Embankments, Fills, and Dams (for compaction see K01)*
Geotechnical considerations in the treatment of the foundations of the left abutment of King Talal Dam. Masannat, Y.M., 34.
Shear strength of soft fissured clays: Discussion. Parkhill, S.T., 147.
Shear strength of soft fissured clays: Reply. Rivard, P.J., and Lu, Y., 148.

05. *Underground Structures (incl. tunnels, conduits, and shafts)*
Field measurements in two tunnels in Edmonton, Alberta. Thomson, S., and El-Nahhas, F., 20.
Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay. Palmer, J.H.L., and Belshaw, D.J., 174.

K. Construction Methods and Equipment

01. *Dewatering and Drainage*
Prediction of hydraulic properties of synthetic nonwoven fabrics used in geotechnical work. Masounave, J., Denis, R., and Rollin, A.L., 517.

07. *Piles and Pile Driving*
Behaviour of friction piles in soft sensitive clays. Blanchet, R., Tavenas, F., and Garneau, R., 203.
Excavation slope stability related to pore-water pressure variations during piling. Crooks, J.H.A., Matyas, E.L., and McKay, H.M., 225.
Improving the quality of input data for the wave equation analysis of driven piles. Marchetti, S., 286.
Considerations on the use of cast-in-place piles in permafrost. Weaver, J.S., and Morgenstern, N.R., 320.
Behaviour of friction piles in soft sensitive clays: Discussion. Meyerhof, G.G., 640.

11. *Anchorages, Tied-back Walls, Reinforcement, Linings, and Other Supports of Soil and Rock*
La compression triaxiale des sols armés. Chapuis, R.P., 153.

M. Materials of Construction

04. *Plastics and Similar Materials*
Prediction of hydraulic properties of synthetic nonwoven fabrics used in geotechnical work. Masounave, J., Denis, R., and Rollin, A.L., 517.

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*
Rupture of an ice mound near Cape Dorset, N.W.T.: Discussion. van Everdingen, R.O., and Banner, J.A., 326.
Rupture of an ice mound near Cape Dorset, N.W.T.: Reply. Frederking, R.M.W., 327.

03. *Snow and Ice Engineering*
Third Canadian Geotechnical Colloquium: Ice forces on wide structures. Kry, P.R., 97.
The behaviour of friction piles in ice and ice-rich soils. Morgenstern, N.R., Roggensack, W.D., and Weaver, J.S., 405.
Ice mechanics: Book Review. Frederking, R., 463.

Canadian Geotechnical Journal

Revue canadienne de géotechnique

Volume 17 • 1980

Editor D. J. BAZETT **Directeur scientifique**

Associate Editors/ Directeurs scientifiques associés

A. L. BURWASH
J.-Y. CHAGNON
J. I. CLARK
L. W. GOLD
J. GRAHAM
T. C. KENNEY
N. R. McCAMMON
J. L. SEYCHUK
F. TAVENAS
J.-P. TOURNIER

PUBLISHING DEPARTMENT
at the National Research Council of Canada

SERVICE DE PUBLICATION
du Conseil national de recherches du Canada

Editor-in-chief C. T. BISHOP **Directeur général**
Assistant Editor-in-chief P. A. REDHEAD **Directeur général adjoint**
Manager G. H. M. ADAMS **Directrice administrative**
Publishing Supervisor S. E. JENNESS **Préposé de la publication**
Senior Publication Officer F. M. KAVCIC **Agent supérieur à la publication**
Publication Officer S. A. DiLABIO **Agent à la publication**

Published by the
National Research Council
of Canada

Publiée par le
Conseil national de recherches
du Canada

CONTENTS/SOMMAIRE

FEBRUARY/FEVRIER

ARTICLES:

A. O. Landva Vane testing in peat 1
S. Thomson and F. El-Nahhas Field measurements in two tunnels in Edmonton, Alberta 20
Yousef M. Masannat Geotechnical considerations in the treatment of the foundations of the left abutment of King Talal Dam 34
Jean Lafleur and Guy Lefebvre Groundwater regime associated with slope stability in Champlain clay deposits 44
D. W. Mageau and N. R. Morgenstern Observations on moisture migration in frozen soils 54
F. Tavenas, B. Trak, and S. Leroueil Remarks on the validity of stability analyses 61
V. R. Parameswaran Deformation behaviour and strength of frozen sand 74
A. K. Barsvary, T. W. Klym, and J. A. Franklin List of terms, symbols, and recommended SI units and multiples for geotechnical engineering 89
P. R. Kry Third Canadian Geotechnical Colloquium: Ice forces on wide structures 97

TECHNICAL NOTES/NOTES TECHNIQUES:

A. Patrick S. Selvadurai and R. Harland Kempthorne Plane strain – contact stress distribution beneath a rigid footing resting on a soft cohesive soil 114
Garry C. Rogers A documentation of soil failure during the British Columbia earthquake of 23 June, 1946 122
D. G. Knight Impact penetration of sand 127
Douglas A. Hackbarth Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta 131
Ashok K. Chugh Parametric study on the plasticity parameters in elastic–plastic analysis of underground openings 136

DISCUSSIONS:

S. Trent Parkhill Shear strength of soft fissured clays: Discussion 147
P. J. Rivard and Y. Lu Shear strength of soft fissured clays: Reply 148
Luis E. Vallejo Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Discussion 149
G. H. Eisbacher Cliff collapse and rock avalanches (sturzstroms) in the Mackenzie Mountains, northwestern Canada: Reply 151

MAY/MAI

ARTICLES:

Robert P. Chapuis La compression triaxiale des sols armés 153
K. T. Law and W. J. Eden Influence of cutting shoe size in self-boring pressuremeter tests in sensitive clays 165
J. H. L. Palmer and D. J. Belshaw Deformations and pore pressures in the vicinity of a precast, segmented, concrete-lined tunnel in clay 174
F. Debidin and C. F. Lee Groundwater and drawdown in a large earth excavation 185
R. Blanchet, F. Tavenas, and R. Garneau Behaviour of friction piles in soft sensitive clays 203
J. H. A. Crooks, E. L. Matyas, and H. M. McKay Excavation slope stability related to pore-water pressure variations during piling 225
F. Tavenas and S. Leroueil The behaviour of embankments on clay foundations 236
Robert M. Quigley Geology, mineralogy, and geochemistry of Canadian soft soils: a geotechnical perspective 261

TECHNICAL NOTES/NOTES TECHNIQUES:

Silvano Marchetti Improving the quality of input data for the wave equation analysis of driven piles 286
K. S. Sankaran, N. R. Krishnaswamy, and P. G. Bhaskaran Nair Effect of test pit size on vibrations of footings 292
D. M. Cruden The anatomy of landslides 295
A. M. Hanna and G. G. Meyerhof Design charts for ultimate bearing capacity of foundations on sand overlying soft clay 300

J. P. M. Syvitski and D. D. Swinbanks VSA: a new fast size analysis technique for low sample weight based on Stokes' settling velocity 304
G. B. Deardorff, A. M. Lumsden, and W. M. Hefferon Pneumatic piezometers: multiple and single installations in vertical and inclined boreholes 313
J. S. Weaver and N. R. Morgenstern Considerations on the use of cast-in-place piles in permafrost 320

DISCUSSIONS:
R. O. van Everdingen and J. A. Banner Rupture of an ice mound near Cape Dorset, N.W.T.: Discussion 326
R. M. W. Frederking Rupture of an ice mound near Cape Dorset, N.W.T.: Reply 327
S. Leroueil and F. Tavenas A method of estimating excess pore pressures beneath embankments on sensitive clays: Discussion 329
K. T. Law and M. Bozozuk A method of estimating excess pore pressures beneath embankments on sensitive clays: Reply 330
T. Cameron Kenney Frost-heaving rate predicted from pore-size distribution: Discussion 332

BOOK REVIEWS/CRITIQUES DE LIVRES:
Robert F. Legget Engineering geology of southern Africa, Volume I (the first 2,000 years of geological time) 333
D. J. Bazett Addendum: Clay fills 335

AUGUST/AOUT

ARTICLES:
Vincenzo Silvestri The long-term stability of a cutting slope in an overconsolidated sensitive clay 337
D. Athanasiou-Grivas Probabilistic seismic stability analysis—a case study 352
Lawrence W. Martz and Ian A. Campbell Effects of a pipeline right-of-way on sediment yields in the Spring Creek watershed, Alberta 361
W. J. Eden and K. T. Law Comparison of undrained shear strength results obtained by different test methods in soft clays 369
John B. Kennedy, Jan T. Laba, and Mostafa A. Mossaad Reinforced earth retaining walls under strip load 382
J. U. Hasan and D. G. Fredlund Pore pressure parameters for unsaturated soils 395
N. R. Morgenstern, W. D. Roggensack, and J. S. Weaver The behaviour of friction piles in ice and ice-rich soils 405
A. O. Landva and P. E. Pheeney Peat fabric and structure 416

TECHNICAL NOTES/NOTES TECHNIQUES:
S. S. Tao, D. M. Guenter, and L. J. Snodgrass Design, construction, and performance of a pneumatic seal for closed system piezometers 436
R. N. Yong, A. J. Sethi, and A. Suzuki Contribution of amorphous material to properties of a laboratory-prepared soil 440
S. Leroueil, J. P. LeBihan, and F. Tavenas An approach for the determination of the preconsolidation pressure in sensitive clays 446

DISCUSSIONS:
Charles C. Ladd and Roger Foott The behaviour of embankments on clay foundations: Discussion 454
G. A. Leonards Strain rate behaviour of Saint-Jean-Vianney clay: Discussion 461

BOOK REVIEW/CRITIQUE DE LIVRE:
R. Frederking Ice mechanics 463

NOVEMBER/NOVEMBRE

ARTICLES:
A. Patrick S. Selvadurai, Gunther E. Bauer, and Terrance J. Nicholas Screw plate testing of a soft clay 465
Jean-Marie Konrad and Norbert R. Morgenstern A mechanistic theory of ice lens formation in fine-grained soils 473
D. E. Pufahl and N. R. Morgenstern The energetics of an ablating headscarp in permafrost 487

R. N. Yong, D. Taplin, and G. Wiseman Influence of cyclic load input on the mechanical properties of a sensitive soil from Orleans, Ontario 498
W. H. Pollard and H. M. French A first approximation of the volume of ground ice, Richards Island, Pleistocene Mackenzie delta, Northwest Territories, Canada 509
J. Masounave, R. Denis, and A. L. Rollin Prediction of hydraulic properties of synthetic nonwoven fabrics used in geotechnical work 517
B. Trak, P. La Rochelle, F. Tavenas, S. Leroueil, and M. Roy A new approach to the stability analysis of embankments on sensitive clays 526
E. Karl Sauer Geotechnical applications of electrical borehole logging in southern Saskatchewan 545
A. Baracos, J. Graham, and L. Domaschuk Yielding and rupture in a lacustrine clay 559
G. E. Bauer, J. D. Scott, D. H. Shields, and N. E. Wilson The hydraulic failure of a cofferdam 574
Ralph B. Peck "Where has all the judgment gone?" The fifth Laurits Bjerrum memorial lecture 584
Rolf Larsson Undrained shear strength in stability calculation of embankments and foundations on soft clays 591

TECHNICAL NOTES/NOTES TECHNIQUES:
M. Krishna Murthy, T. S. Nagaraj, and A. Sridharan Stress path effects on the strength behaviour of a layered soil 603
Luis E. Vallejo A new approach to the stability analysis of thawing slopes 607
C. T. Hwang, R. Seshadri, and A. V. G. Krishnayya Thermal design for insulated pipes 613
K. Kodandaramaswamy and S. Narasimha Rao The prediction of settlements and heave in clays 623

DISCUSSIONS:
Stephen P. Bentley Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion 632
Guy Lefebvre and Jacques Locat Significance of amorphous material relative to sensitivity in some Champlain clays: Discussion 635
R. N. Yong, A. J. Sethi, and P. La Rochelle Significance of amorphous material relative to sensitivity in some Champlain clays: Reply 636
M. A. Reed, C. W. Lovell, A. G. Altschaeffl, and L. E. Wood Frost-heaving rate predicted from pore-size distribution: Reply 639
G. G. Meyerhof Behaviour of friction piles in soft sensitive clays: Discussion 640
D. G. Fredlund Remarks on the validity of slope stability analyses: Discussion 641

BOOK REVIEW/CRITIQUE DE LIVRE:
R. J. E. Brown Proceedings of the Third International Conference on Permafrost 643

ERRATUM:
Douglas A. Hackbarth Erratum: Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta 645

Author Index for Volume 17/Index des auteurs pour volume 17 **AI-1**
Subject Index for Volume 17/Index des matières pour volume 17 **SI-1**
Contents for Volume 17/Sommaire pour volume 17 **vii**

BOOK REVIEW/CRITIQUE DE LIVRE

R. J. E. Brown Proceedings of the Third International Conference on Permafrost **643**

ERRATUM

Douglas A. Hackbarth Erratum: Regional aquifer parameters evaluated during mine depressurization in the Athabasca Oil Sands, Alberta **645**

Announcement	**i**	Annonce	**i**
SI units and symbols	**iii**	Unités et symboles SI	**iv**
Author index for Volume 17	**AI-1**	Index des auteurs pour volume 17	**AI-1**
Subject index for Volume 17	**SI-1**	Index des matières pour volume 17	**SI-1**
Contents for Volume 17	**vii**	Sommaire pour volume 17	**vii**

Publication	1981 Annual Subscription Rates / Abonnements annuels 1981	Institutional / Collectif	Personal / Personnel
Semimonthly / Bimensuelle			
	Canadian Journal of Chemistry / Journal canadien de chimie	$130.00	$65.00
Monthly / Mensuelle			
	Canadian Journal of Biochemistry / Journal canadien de biochimie	55.00	28.00
	Canadian Journal of Botany / Journal canadien de botanique	95.00	48.00
	Canadian Journal of Earth Sciences / Journal canadien des sciences de la terre	85.00	43.00
	Canadian Journal of Microbiology / Journal canadien de microbiologie	65.00	33.00
	Canadian Journal of Physics / Journal canadien de physique	90.00	45.00
	Canadian Journal of Physiology and Pharmacology / Journal canadien de physiologie et pharmacologie	60.00	30.00
	Canadian Journal of Zoology / Journal canadien de zoologie	85.00	43.00
Quarterly / Trimestrielle			
	Canadian Journal of Civil Engineering / Revue canadienne de génie civil	40.00	20.00
	Canadian Journal of Forest Research / Journal canadien de la recherche forestière	40.00	20.00
	Canadian Geotechnical Journal / Revue canadienne de géotechnique	40.00	20.00

Subscriptions, renewals, requests for single or back numbers, and all remittances should be sent to Administration (Canadian Geotechnical Journal), National Research Council of Canada, Ottawa, Canada K1A 0R6. Remittances should be made payable to the Receiver General for Canada, credit National Research Council of Canada.

Price of single numbers of current volumes of all journals: institutional, $10.00; personal, $7.50.

Abonnements – Pour toutes les questions d'abonnements, paiements, demandes de vieux numéros du journal etc., on doit s'adresser à l'Administration (Revue canadienne de géotechnique), Conseil national de recherches du Canada, Ottawa, Canada K1A 0R6. Les cheques et mandats seront formulés payables au Receveur Général du Canada, au crédit du Conseil national de recherches du Canada.

Prix des volumes courants de toutes les revues, par numéro: collectif, $10,00; personnel, $7,50.